

✓

Doffing Enhanced Contact and Droplet Personal Protective Equipment (PPE) Check List

Prior To Starting Procedure:

- Move to designated doffing area. If this is inside the patient room do not remove N95 mask (if used) until you have left the room
- Keep hands away from face
- Do not Rush!** use slow purposeful movements
- Buddy to read list and check off as HCP completes list
- Immediately report any potential or actual blood or body fluid exposure according to health care facility policy and notify the OCPHO
- Document any breaches of PPE or HCP exposure
- Buddy remains on the “clean” side of designated doffing area
- Both sign off and date bottom of form

NOTE:

The use of an EPA registered disinfectant wipes on gloves or other PPE during this procedure is for occupational health and safety protection of the HCP **ONLY**. In **no circumstances** should this be used on PPE including gloves in between patient care.

PPE IS FOR SINGLE USE ONLY AND SHOULD BE PROPERLY DISPOSED OF AFTER EACH USE.

INSPECT AND DECONTAMINATE

- Buddy to observe for any cuts, tears or obvious contamination of PPE
- HCP to disinfect any contaminated PPE using EPA registered disinfectant wipe
- HCP to disinfect outer gloves with EPA registered disinfectant wipe





Doffing Enhanced Contact and Droplet Personal Protective Equipment (PPE) Check List

2. APRON

- Buddy** unties apron back and gently tears apart serrated neckline
- HCP pulls apron forward and off
- Rolls gown inward into a ball with contaminated side into the center of ball
- Dispose into biohazard waste container



3. OUTER GLOVES

- Disinfect outer gloves with EPA registered disinfectant wipe



4. LEG AND BOOT COVERS

- Sit on cleanable chair if available
- Remove leg and boot covers
- Dispose into biohazard container.



5. OUTER GLOVES

- Disinfect outer gloves with EPA registered disinfectant wipes
- Remove outer gloves, using glove-in-glove technique. Ensuring minimal direct contact with inner gloves
- Dispose into biohazard waste container.



✓	<h2>Doffing Enhanced Contact and Droplet Personal Protective Equipment (PPE) Check List</h2>
---	--

6. INNER GLOVES

Disinfect inner gloves with EPA registered disinfectant wipes



7. FACE SHIELD

Remove face shield, pulling gently from the back, overhead and away from face

Dispose into biohazard waste container



8. INNER GLOVES

Disinfect inner gloves with EPA registered disinfectant wipes



9. SURGEONS' HEAD COVER

Gently remove and discard

Buddy may assist

Dispose into biohazard waste container

Note: this process may change depending on type of head cover we are able to order.





Doffing Enhanced Contact and Droplet Personal Protective Equipment (PPE) Check List

10. BOUFFANT HEAD COVER

- Remove bouffant towards back of head
- Dispose into biohazard container



11. INNER GLOVES

- Disinfect inner gloves with EPA registered disinfectant wipes



12. GOWN

- Buddy may untie gown at back.
- HCP eases gown forward
- Avoid contact with inner scrubs
- Roll gown inside out and touch only the inside of the gown.
- Dispose in biohazard container



13. INNER GLOVES

- Disinfect inner gloves with EPA registered disinfectant wipes
- Remove inner gloves
- Performs hand hygiene with ABHR.
- Dons new, clean nitrile gloves





Doffing Enhanced Contact and Droplet Personal Protective Equipment (PPE) Check List

14. MASK

Bend slightly forward, and remove by only grasping the elastic ear loops.

Dispose into biohazard container. **Do not touch front of mask.**

If N95 mask was used, remove it using the same process at the mask. Remove the bottom head band first



15. SHOES

Sit on clean chair

Disinfect shoes with EPA registered disinfectant wipes

Move to clean area



16. INNER GLOVES

Disinfect inner gloves with EPA registered disinfectant wipes

Remove inner gloves

Dispose into biohazard container



17. HAND HYGIENE

Perform hand hygiene with ABHR

Use soap and water If hands look or feel dirty





Doffing Enhanced Contact and Droplet Personal Protective Equipment (PPE) Check List

18. FINAL INSPECTION

- Buddy** and HCP do final inspection for contamination on HCP
- Hydrate and check how you feel.
- HCP to Change out of scrubs
- HCP to Shower



19. CLEAN UP: BUDDY

- Roll up doffing drop cloth
- Dispose in biohazard container
- Remove biohazard bags and tape shut with duct tape
- Store biohazards in room with patient until confirmation of disease obtained
- Disinfect floor with EPA registered disinfectant.



20. BUDDY DOFFS PPE ACCORDING TO ROUTINE PRACTICES





Doffing Enhanced Contact and Droplet Personal Protective Equipment (PPE) Check List

Notes:

Notify OHS, Supervisor and OCPHO for any

- PPE breakdown,
- Needle sticks or ;
- Contact with blood and body fluids

1. Print Name:	Date:
Signature:	
2. Print Name:	Date:
Signature:	
3. Patient Identifier:	Date: