



Government of
Northwest Territories

Gouvernement des
Territoires du Nord-Ouest

FOOD ESTABLISHMENT INSPECTION REPORT

Section 1: Facility Information

Establishment Name	Baker Centre / YK Seniors Society					
Address	2 5710 50 Ave Yellowknife NT X1A 1G1					
Facility Type	Program: Food - Facility: Facility Based Food Operation					
Report Type	Routine <input checked="" type="checkbox"/>	Complaint <input type="checkbox"/>	Follow-Up <input type="checkbox"/>	Pre-operational <input type="checkbox"/>	Consultation <input type="checkbox"/>	Other <input type="checkbox"/>
Date of Report	06/Mar/2024			Permit Number	NT-13497	

Environmental Health inspections under the authority of the Public Health Act determine the level of compliance with the Food Establishment Safety Regulation (FESR). Violations cited in this report shall be corrected within the time frame specified. Failure to comply with the requirements may result in the suspension of the permit and/or regulatory enforcement.

Circle suggests compliance status. **N/O** = Not observed; **N/A** = Not Applicable; **CDI** = Corrected during inspection; **R** = Repeated non-compliance

Section 2: Compliance Summary

	Compliance Item	Compliance	CDI	R		Topic	Compliance	CDI	R
1	Obtained a valid food establishment permit.	NO			23	Proper use and storage of clean utensils	YES		
2	The permit is posted in a conspicuous location.	NO			24	Appropriate maintenance of food contact surfaces	YES		
3	Risk assessment - extensive food preparation.	N/A			25	Appropriate maintenance of non-food contact surfaces	YES		
4	Risk assessment - minimal food preparation.	YES			26	No room with food used for sleeping purposes	YES		
5	Risk assessment - intermediate food preparation.	YES			27	Dipper well with running water	N/O		
6	Cold holding and storage of food below 4°C or 40°F.	YES			28	Food grade products for food contact surface sanitization	YES*		X
7	Frozen food holding and storage below -18°C or 0°F.	YES			29	Food contact surfaces washed>rinsed>sanitized after each use	YES*		
8	Proper food cooling method used.	N/O			30	Appropriate two-compartment sink available and used	YES		
9	Food is cooked to a high enough safe internal temperature.	N/O			31	Appropriate three-compartment sink available and used	N/A		
10	Hot holding food to a safe internal temperature of 60°C (140°F).	N/O			32	The proper method used for manual dishwashing	YES		
11	The facility uses a proper re-heating method.	N/O			33	The high-temperature dishwasher is operating appropriately	N/A		
12	Monitoring of food safety temperatures.	YES			34	Low-temperature dishwasher operating appropriately	N/A		
13	Proper hand hygiene practice by food handlers.	YES			35	Floors, walls, and ceilings are maintained in a sanitary condition	YES		
14	Acceptable personal hygiene and behaviour or practices.	YES			36	Sanitary maintenance of staff / public washrooms	YES		
15	Certified food handler in a supervisory role.	N/O			37	Lighting adequate for food preparation/cleaning	YES		
16	Free from infectious disease and confirmation of non-infection.	YES			38	Mechanical ventilation operable where required	YES		
17	All foods are obtained from acceptable sources.	YES			39	Adequate garbage and liquid waste management	YES		
18	Separate raw foods storage and handling.	YES			40	General housekeeping and sanitation are satisfactory	YES		
19	Food is protected from potential contamination and adulteration.	YES			41	Pest control / adequate protection of pests	YES		
20	Toxic/poisonous substances are stored separately from food.	YES			42	Exclusion of live animals on the premises	YES		
21	Supply of hot and cold running water under pressure.	YES			43	Observation of health hazards	N0		
22	Handwashing stations are provided & adequately supplied.	YES							

Section 3: Inspection Outcome

Satisfactory Compliance	X	Follow Up Required (Date)	03/15/2024	Item(s) Seized or Discarded	
Permit Revoked		Warning Letter Issued		Fine Issued	

Section 4: Signature

Person In Charge

Name: Kimberly Doyle

Title: Executive Director

Environmental Health Officer

Name: Angela Fiadjoe

Title: Public Health Officer



Section 5: Temperature and Sanitization Records

Food	Holding Type	Temperature	Food	Holding Type	Temperature
		C			C
		C			C
		C			C
		C			C
		C			C

Equipment	Description	Temperature	Equipment	Description	Temperature
Reach-In Freezer		2.1C			C
Reach-In Freezer		-25.5 C			C
Reach-In Cooler		2.2 C			C
		C			C
		C			C

Warewashing Unit	Sanitization Method	Sanitizer Name	Sanitizer Type	Strength (ppm)	Temperature
					C
					C
					C
					C
					C

Section 6: Inspection Details

Act and Regulation excerpts in this report are for information only and not the basis for legal or judicial determinations. Please verify the most current version of the Act and Regulation for correct sections and wordings.

1. Facility obtained a valid NWT Environmental Health Food Establishment permit.

NWT Reg 097-2009 - FESR 7 - A person shall not operate a food establishment unless he or she holds a valid food establishment permit.

Observation: A file review before the inspection indicate, the facility's food establishment permit had expired. The operator was directed to submit a renewal application. An application form was made available to the operator.

2. NWT Environmental Health Food Establishment Permit is posted in a conspicuous location visible to patrons.

NWT Reg 097-2009 - FESR 10(3) - Failure to post food establishment permit or copy in conspicuous or authorized location

Observation: Permit wasn't available to be posted. The operator was reminded post the new permit after renewal.

Correct-by Date: 03/15/2024

28. Use of Approved Food Grade products for food contact surface sanitization

Observation: Bleach sanitizing solution was available, however, the concentration was measured above 200ppm instead of 100ppm. Ensure that the equipment or utensils are sprayed or rinsed with a chemical solution of an acceptable concentration. The operator prepared a new bleach sanitizer solution at 100 ppm using the poster 'How to use bleach as a disinfectant' made available during the inspection.

Correct-by Date: 03/06/2024

46. EHO closing comments

Observation: A routine inspection was completed at this facility. All findings were discussed with the operator. Corrective action required were taken during the inspection with no immediate concern.