

Environmental Health Inspection Report

Name of		Date (d/m/y)
Mailing A		Jan 30, 2023
Physical	Address 145 Rivewiew Drive, Hay River, NT	
Type of Ir	Address 145 Riverview Drive, Hay River, NT Aspection Food Ellablishment Safety Roy Routine Complaint Follow	r-up
Under au observati	thority of the <i>Public Health Act</i> and/or <i>Tobacco Control Act</i> , an inspection of the above listed facility/operation was conducted ons and/or Orders are made. Required Correction Dates are listed.	ed and the following
Item Number	Observations and Corrective Actions	Correction Date (if applicable)
	Routine inspection was conducted today and following was observed:	
1		
	Fridge - 4.8 C	
2,3	Delignated hand was him of thating must be assailed by his hand	was him
4.	No food is being prepared in the kitchen except	waterup.
<u></u>	durine cooking class.	
	Nortenceins observed at the time of inspection.	
		-
Public He	ealth Officer's Name (print)	
RITTI MATTOO Public Health Officer's Signature Date (d/		
Owner/Operator (please print)		
Aline Chichery Owner/Operator's signature Date (d/m/y)		

Yellowknife

Ph: (867) 669-8979 Fax: (867) 669-7517 Inuvik

Ph: (867) 777-7250 / 777-7220 Fax: (867) 777-3255 **Hay River**

Ph: (867) 874-7261 Fax: (867) 874-7211 Page

1 of /