



Government of  
Northwest Territories

Gouvernement des  
Territoires du Nord-Ouest

## FOOD ESTABLISHMENT INSPECTION REPORT

### Section 1: Facility Information

Establishment Name	Gold Range Bar					
Address	5010 53 Street P.O. Box 98 Yellowknife NT X1A 2N5					
Facility Type	Program: Food - Facility: Facility Based Food Operation					
Report Type	Routine <input checked="" type="checkbox"/>	Complaint <input type="checkbox"/>	Follow-Up <input type="checkbox"/>	Pre-operational <input type="checkbox"/>	Consultation <input type="checkbox"/>	Other <input type="checkbox"/>
Date of Report	28/Feb/2024			Permit Number	NT-13931	

Environmental Health inspections under the authority of the Public Health Act determine the level of compliance with the Food Establishment Safety Regulation (FESR). Violations cited in this report shall be corrected within the time frame specified. Failure to comply with the requirements may result in the suspension of the permit and/or regulatory enforcement.

Circle suggests compliance status. **N/O** = Not observed; **N/A** = Not Applicable; **CDI** = Corrected during inspection; **R** = Repeated non-compliance

### Section 2: Compliance Summary

	Compliance Item	Compliance	CDI	R		Topic	Compliance	CDI	R
1	Obtained a valid food establishment permit.	YES*			23	Proper use and storage of clean utensils	N/A		
2	The permit is posted in a conspicuous location.	YES			24	Appropriate maintenance of food contact surfaces	YES		
3	Risk assessment - extensive food preparation.	N/A			25	Appropriate maintenance of non-food contact surfaces	YES		
4	Risk assessment - minimal food preparation.	YES			26	No room with food used for sleeping purposes	YES		
5	Risk assessment - intermediate food preparation.	N/A			27	Dipper well with running water	N/O		
6	Cold holding and storage of food below 4°C or 40°F.	YES			28	Food grade products for food contact surface sanitization	YES*		X
7	Frozen food holding and storage below -18°C or 0°F.	N/A			29	Food contact surfaces washed>rinsed>sanitized after each use	YES*		
8	Proper food cooling method used.	N/O			30	Appropriate two-compartment sink available and used	N/A		
9	Food is cooked to a high enough safe internal temperature.	N/A			31	Appropriate three-compartment sink available and used	N/A		
10	Hot holding food to a safe internal temperature of 60°C (140°F).	N/A			32	The proper method used for manual dishwashing	N/A		
11	The facility uses a proper re-heating method.	N/A			33	The high-temperature dishwasher is operating appropriately	N/A		
12	Monitoring of food safety temperatures.	YES			34	Low-temperature dishwasher operating appropriately	YES		
13	Proper hand hygiene practice by food handlers.	YES			35	Floors, walls, and ceilings are maintained in a sanitary condition	YES		
14	Acceptable personal hygiene and behaviour or practices.	YES			36	Sanitary maintenance of staff / public washrooms	YES		
15	Certified food handler in a supervisory role.	YES			37	Lighting adequate for food preparation/cleaning	YES		
16	Free from infectious disease and confirmation of non-infection.	YES			38	Mechanical ventilation operable where required	YES		
17	All foods are obtained from acceptable sources.	YES			39	Adequate garbage and liquid waste management	YES		
18	Separate raw foods storage and handling.	YES			40	General housekeeping and sanitation are satisfactory			
19	Food is protected from potential contamination and adulteration.	YES			41	Pest control / adequate protection of pests			
20	Toxic/poisonous substances are stored separately from food.	YES			42	Exclusion of live animals on the premises			
21	Supply of hot and cold running water under pressure.	YES			43	Observation of health hazards			
22	Handwashing stations are provided & adequately supplied.	YES							

### Section 3: Inspection Outcome

Satisfactory Compliance	X	Follow Up Required (Date)		Item(s) Seized or Discarded	
Permit Revoked		Warning Letter Issued		Fine Issued	

### Section 4: Signature

Person In Charge	Environmental Health Officer
Name: Sam Park	Name: Angela Fiadjoe
Title: Manager	Title: Public Health Officer



**Section 5: Temperature and Sanitization Records**

Food	Holding Type	Temperature	Food	Holding Type	Temperature
		C			C
		C			C
		C			C
		C			C
		C			C

Equipment	Description	Temperature	Equipment	Description	Temperature
Walk-In Cooler		-2.8C			C
		C			C
		C			C
		C			C
		C			C

Warewashing Unit	Sanitization Method	Sanitizer Name	Sanitizer Type	Strength (ppm)	Temperature
					C
					C
					C
					C
					C

**Section 6: Inspection Details**

Act and Regulation excerpts in this report are for information only and not the basis for legal or judicial determinations. Please verify the most current version of the Act and Regulation for correct sections and wordings.

1. Facility obtained a valid NWT Environmental Health Food Establishment permit.

Observation: The operator has a permit renewal application in process.

28. Use of Approved Food Grade products for food contact surface sanitization

Observation: Bleach sanitizing solution available was measured at 100ppm. Ensure that equipments and counter tops are sanitized with a chemical solution of an acceptable concentration at 100ppm for bleach solution. Jr-EHO-AF together with the operator prepared a new bleach sanitizing solution at 100ppm. Poster on "How to Prepare Bleach Solution" and test strips were made available to the operator. Correct-by Date: 02/28/2024

46. EHO closing comments

Observation: A routine inspection was conducted today. All corrective actions required were taken by the operator during the inspection with no immediate concern.