



FOOD ESTABLISHMENT INSPECTION REPORT

Section 1: Facility Information

Establishment Name	Inuvik Homeless Shelter					
Address	P.O. Box 1301 , Inuvik , NT X0E 0T0					
Facility Type	Program: Food - Facility: Permanent Food					
Report Type	Routine	Complaint	Follow-Up X	Pre-operational	Consultation	Other
Date of Report	29/May/2023			Permit Number	NT-14108	

Environmental Health inspections under the authority of the Public Health Act determine the level of compliance with the Food Establishment Safety Regulation (FESR). Violations cited in this report shall be corrected within the time frame specified. Failure to comply with the requirements may result in the suspension of the permit and/or regulatory enforcement.

Circle suggests compliance status. **N/O** = Not observed; **N/A** = Not Applicable; **CDI** = Corrected during inspection; **R** = Repeated non-compliance


Section 2: Compliance Summary

	Compliance Item	Compliance	CDI	R		Topic	Compliance	CDI	R
1	Obtained a valid food establishment permit.				23	Proper use and storage of clean utensils			
2	The permit is posted in a conspicuous location.				24	Appropriate maintenance of food contact surfaces			
3	Risk assessment - extensive food preparation.				25	Appropriate maintenance of non-food contact surfaces			
4	Risk assessment - minimal food preparation.				26	No room with food used for sleeping purposes			
5	Risk assessment - intermediate food preparation.				27	Dipper well with running water			
6	Cold holding and storage of food below 4°C or 40°F.				28	Food grade products for food contact surface sanitization			
7	Frozen food holding and storage below -18°C or 0°F.				29	Food contact surfaces washed>rinsed>sanitized after each use			
8	Proper food cooling method used.				30	Appropriate two-compartment sink available and used			
9	Food is cooked to a high enough safe internal temperature.				31	Appropriate three-compartment sink available and used			
10	Hot holding food to a safe internal temperature of 60°C (140°F).				32	The proper method used for manual dishwashing			
11	The facility uses a proper re-heating method.				33	The high-temperature dishwasher is operating appropriately			
12	Monitoring of food safety temperatures.				34	Low-temperature dishwasher operating appropriately			
13	Proper hand hygiene practice by food handlers.				35	Floors, walls, and ceilings are maintained in a sanitary condition	YES*		
14	Acceptable personal hygiene and behaviour or practices.				36	Sanitary maintenance of staff / public washrooms			
15	Certified food handler in a supervisory role.				37	Lighting adequate for food preparation/cleaning	N/O*		X
16	Free from infectious disease and confirmation of non-infection.				38	Mechanical ventilation operable where required			
17	All foods are obtained from acceptable sources.				39	Adequate garbage and liquid waste management			
18	Separate raw foods storage and handling.				40	General housekeeping and sanitation are satisfactory			
19	Food is protected from potential contamination and adulteration.				41	Pest control / adequate protection of pests	YES*		
20	Toxic/poisonous substances are stored separately from food.				42	Exclusion of live animals on the premises			
21	Supply of hot and cold running water under pressure.				43	Observation of health hazards			
22	Handwashing stations are provided & adequately supplied.								

Section 3: Inspection Outcome

Satisfactory Compliance	X	Follow Up Required (Date)		Item(s) Seized or Discarded	
Permit Revoked		Warning Letter Issued		Fine Issued	

Section 4: Signature

Person In Charge	Environmental Health Officer
	
Name: Loretta Rogers	Name: Vanessa Agira
Title:	Title: Environmental Health Officer



Section 5: Temperature and Sanitization Records

Food	Holding Type	Temperature	Food	Holding Type	Temperature
		C			C
		C			C
		C			C
		C			C
		C			C

Equipment	Description	Temperature	Equipment	Description	Temperature
		C			C
		C			C
		C			C
		C			C
		C			C

Warewashing Unit	Sanitization Method	Sanitizer Name	Sanitizer Type	Strength (ppm)	Temperature
					C
					C
					C
					C
					C

Section 6: Inspection Details

Act and Regulation excerpts in this report are for information only and not the basis for legal or judicial determinations. Please verify the most current version of the Act and Regulation for correct sections and wordings.

35. Floors, walls, and ceilings are maintained in a sanitary condition and good repair

-

Observation: Missing flooring has been repaired. See attached picture
37. Lighting adequate for food preparation/cleaning

-

Observation: Light covers in the kitchen area and food storage areas were missing. Provide all light fixtures with protective covers or non-shatter bulbs. At re-inspection operator mentioned lights cover are on order.

(Repeat) Correct-by Date: 06/13/2023
41. Pest control / Adequate protection against the entrance of insects, birds, rodents, and other pests

-

Observation: Screen was observed in the kitchen window. See attached picture



FOOD ESTABLISHMENT INSPECTION REPORT

Section 1: Facility Information

Establishment Name	Inuvik Homeless Shelter					
Address	P.O. Box 1301 , Inuvik , NT X0E 0T0					
Facility Type	Program: Food - Facility: Permanent Food					
Report Type	Routine X	Complaint	Follow-Up	Pre-operational	Consultation	Other
Date of Report	09/May/2023			Permit Number	NT-14108	

Environmental Health inspections under the authority of the Public Health Act determine the level of compliance with the Food Establishment Safety Regulation (FESR). Violations cited in this report shall be corrected within the time frame specified. Failure to comply with the requirements may result in the suspension of the permit and/or regulatory enforcement.

Circle suggests compliance status. **N/O** = Not observed; **N/A** = Not Applicable; **CDI** = Corrected during inspection; **R** = Repeated non-compliance



Section 2: Compliance Summary

	Compliance Item	Compliance	CDI	R		Topic	Compliance	CDI	R
1	Obtained a valid food establishment permit.	YES			23	Proper use and storage of clean utensils	YES		
2	The permit is posted in a conspicuous location.	YES*			24	Appropriate maintenance of food contact surfaces	YES		
3	Risk assessment - extensive food preparation.	YES			25	Appropriate maintenance of non-food contact surfaces	YES		
4	Risk assessment - minimal food preparation.	N/A			26	No room with food used for sleeping purposes	N/A		
5	Risk assessment - intermediate food preparation.	N/A			27	Dipper well with running water	N/A		
6	Cold holding and storage of food below 4°C or 40°F.				28	Food grade products for food contact surface sanitization	YES		
7	Frozen food holding and storage below -18°C or 0°F.				29	Food contact surfaces washed>rinsed>sanitized after each use	YES		
8	Proper food cooling method used.	N/O			30	Appropriate two-compartment sink available and used	YES		
9	Food is cooked to a high enough safe internal temperature.	N/O			31	Appropriate three-compartment sink available and used	YES		
10	Hot holding food to a safe internal temperature of 60°C (140°F).	N/O			32	The proper method used for manual dishwashing	YES		
11	The facility uses a proper re-heating method.	N/O			33	The high-temperature dishwasher is operating appropriately	N/A		
12	Monitoring of food safety temperatures.				34	Low-temperature dishwasher operating appropriately	N/A		
13	Proper hand hygiene practice by food handlers.	N/O			35	Floors, walls, and ceilings are maintained in a sanitary condition	NO		
14	Acceptable personal hygiene and behaviour or practices.	YES			36	Sanitary maintenance of staff / public washrooms	YES		
15	Certified food handler in a supervisory role.	YES			37	Lighting adequate for food preparation/cleaning	NO		X
16	Free from infectious disease and confirmation of non-infection.	YES			38	Mechanical ventilation operable where required	YES		
17	All foods are obtained from acceptable sources.	YES			39	Adequate garbage and liquid waste management	YES		
18	Separate raw foods storage and handling.	YES			40	General housekeeping and sanitation are satisfactory	YES		
19	Food is protected from potential contamination and adulteration.	YES			41	Pest control / adequate protection of pests	NO		X
20	Toxic/poisonous substances are stored separately from food.	YES			42	Exclusion of live animals on the premises	YES		
21	Supply of hot and cold running water under pressure.	YES			43	Observation of health hazards	NO		
22	Handwashing stations are provided & adequately supplied.	YES							

Section 3: Inspection Outcome

Satisfactory Compliance	X	Follow Up Required (Date)	05/29/2023	Item(s) Seized or Discarded	
Permit Revoked		Warning Letter Issued		Fine Issued	

Section 4: Signature

Person In Charge	Environmental Health Officer
	
Name: Loretta Rogers	Name: Vanessa Agira
Title: Shelter coordinator	Title: Environmental Health Officer



Section 5: Temperature and Sanitization Records

Food	Holding Type	Temperature	Food	Holding Type	Temperature
		C			C
		C			C
		C			C
		C			C
		C			C

Equipment	Description	Temperature	Equipment	Description	Temperature
Chest Freezer		-26C			C
Reach-In Cooler	stainless steel fridge	2.6 C			C
Reach-In Freezer	stainless steel	-14 C			C
Chest Freezer	Bread freezer	-20 C			C
		C			C

Warewashing Unit	Sanitization Method	Sanitizer Name	Sanitizer Type	Strength (ppm)	Temperature
					C
					C
					C
					C
					C

Section 6: Inspection Details

Act and Regulation excerpts in this report are for information only and not the basis for legal or judicial determinations. Please verify the most current version of the Act and Regulation for correct sections and wordings.

2. NWT Environmental Health Food Establishment Permit is posted in a conspicuous location visible to patrons.

-

Observation: Reminder: post permit in a conspicuous location once received.

35. Floors, walls, and ceilings are maintained in a sanitary condition and good repair

-

Observation: A piece of flooring by the 3 compartment sink is missing. Repair floor to ensure it is smooth and easily cleanable

Correct-by Date: 06/09/2023

37. Lighting adequate for food preparation/cleaning

-

Observation: Light covers in the kitchen area and food storage areas were missing. Provide all light fixtures with protective covers or non-shatter bulbs

(Repeat) Correct-by Date: 06/09/2023

41. Pest control / Adequate protection against the entrance of insects, birds, rodents, and other pests

-

Observation: No screen was observed on the kitchen window. Ensure to provide a screen in the window for protection against the entrance of insects and other pests.

(Repeat) Correct-by Date: 05/23/2023