



## FOOD ESTABLISHMENT INSPECTION REPORT

### Section 1: Facility Information

Establishment Name	The Mantle Restaurant & Pub					
Address	4511 Franklin 50 Ave , Yellowknife , NT X1A 1B9					
Facility Type	Program: Food - Facility: Facility Based Food Operation					
Report Type	Routine	Complaint	Follow-Up	Pre-operational X	Consultation	Other
Date of Report	21/Apr/2023			Permit Number	NT-14468	

Environmental Health inspections under the authority of the Public Health Act determine the level of compliance with the Food Establishment Safety Regulation (FESR). Violations cited in this report shall be corrected within the time frame specified. Failure to comply with the requirements may result in the suspension of the permit and/or regulatory enforcement.

Circle suggests compliance status. **N/O** = Not observed; **N/A** = Not Applicable; **CDI** = Corrected during inspection; **R** = Repeated non-compliance



### Section 2: Compliance Summary

	Compliance Item	Compliance	CDI	R		Topic	Compliance	CDI	R
1	Obtained a valid food establishment permit.	YES*			23	Proper use and storage of clean utensils	YES		
2	The permit is posted in a conspicuous location.	N/A			24	Appropriate maintenance of food contact surfaces	YES		
3	Risk assessment - extensive food preparation.	YES			25	Appropriate maintenance of non-food contact surfaces	YES		
4	Risk assessment - minimal food preparation.	N/A			26	No room with food used for sleeping purposes	YES		
5	Risk assessment - intermediate food preparation.	N/A			27	Dipper well with running water	N/A		
6	Cold holding and storage of food below 4°C or 40°F.	YES			28	Food grade products for food contact surface sanitization	YES		
7	Frozen food holding and storage below -18°C or 0°F.	YES			29	Food contact surfaces washed>rinsed>sanitized after each use	YES		
8	Proper food cooling method used.	N/O			30	Appropriate two-compartment sink available and used	YES		
9	Food is cooked to a high enough safe internal temperature.	N/O			31	Appropriate three-compartment sink available and used	YES		
10	Hot holding food to a safe internal temperature of 60°C (140°F).	N/O			32	The proper method used for manual dishwashing	N/O		
11	The facility uses a proper re-heating method.	N/O			33	The high-temperature dishwasher is operating appropriately	N/A		
12	Monitoring of food safety temperatures.	YES			34	Low-temperature dishwasher operating appropriately	NO		
13	Proper hand hygiene practice by food handlers.	YES			35	Floors, walls, and ceilings are maintained in a sanitary condition	NO		
14	Acceptable personal hygiene and behaviour or practices.	YES			36	Sanitary maintenance of staff / public washrooms	YES		
15	Certified food handler in a supervisory role.	YES			37	Lighting adequate for food preparation/cleaning	YES		
16	Free from infectious disease and confirmation of non-infection.	YES			38	Mechanical ventilation operable where required	YES		
17	All foods are obtained from acceptable sources.	YES			39	Adequate garbage and liquid waste management	YES		
18	Separate raw foods storage and handling.	N/O			40	General housekeeping and sanitation are satisfactory	N/A		
19	Food is protected from potential contamination and adulteration.	N/O			41	Pest control / adequate protection of pests	YES		
20	Toxic/poisonous substances are stored separately from food.	YES			42	Exclusion of live animals on the premises	YES		
21	Supply of hot and cold running water under pressure.	YES			43	Observation of health hazards	N/A		
22	Handwashing stations are provided & adequately supplied.	YES							

### Section 3: Inspection Outcome

Satisfactory Compliance	X	Follow Up Required (Date)	06/01/2023	Item(s) Seized or Discarded	
Permit Revoked		Warning Letter Issued		Fine Issued	

### Section 4: Signature

Person In Charge	Environmental Health Officer
	
Name: Rodil Libiano	Name: Colin Merz
Title:	Title: Public Health Officer





### Section 5: Temperature and Sanitization Records

Food	Holding Type	Temperature	Food	Holding Type	Temperature
		C			C
		C			C
		C			C
		C			C
		C			C

Equipment	Description	Temperature	Equipment	Description	Temperature
Reach-In Cooler		1.4C			C
Walk-In Cooler		2.7 C			C
Walk-In Freezer		-21 C			C
		C			C
		C			C

Warewashing Unit	Sanitization Method	Sanitizer Name	Sanitizer Type	Strength (ppm)	Temperature
					C
					C
					C
					C
					C

### Section 6: Inspection Details

Act and Regulation excerpts in this report are for information only and not the basis for legal or judicial determinations. Please verify the most current version of the Act and Regulation for correct sections and wordings.

1. Facility obtained a valid NWT Environmental Health Food Establishment permit.

-

Observation: pending

34. Low-Temperature Dishwasher operating appropriately and chemical sanitization concentration verified.

-

Observation: EHO is unclear if the mechanical dishwasher is intended to be a high-temperature sanitizing or a chemical sanitizing. Maximum rise temperature at plate level measured at 57.5 degrees C. No chemical sanitizer present at time of inspection, Ecolab technician is scheduled for maintenance visit prior to opening.

Correct-by Date: 05/01/2023

35. Floors, walls, and ceilings are maintained in a sanitary condition and good repair

-

Observation: Please address missing coving, damaged walls, and damaged floor covering at entrance to walk-in cooler to ensure a smooth, non-absorbent, easily cleanable surface.

Correct-by Date: 05/01/2023

46. EHO closing comments

-

Observation: Please continue with ongoing renovations and repairs. If identified deficiencies cannot be corrected by proposed opening date, contact EHO with updated timeline for completion.