



Government of
Northwest Territories

Gouvernement des
Territoires du Nord-Ouest

FOOD ESTABLISHMENT INSPECTION REPORT

Section 1: Facility Information

Establishment Name	North Mart Hay River					
Address	81 Woodland Dr Hay River NT X0E 0R8					
Facility Type	Program: Food - Facility: Facility Based Food Operation					
Report Type	Routine <input checked="" type="checkbox"/>	Complaint <input type="checkbox"/>	Follow-Up <input type="checkbox"/>	Pre-operational <input type="checkbox"/>	Consultation <input type="checkbox"/>	Other <input type="checkbox"/>
Date of Report	13/Feb/2024			Permit Number	NT-13282	

Environmental Health inspections under the authority of the Public Health Act determine the level of compliance with the Food Establishment Safety Regulation (FESR). Violations cited in this report shall be corrected within the time frame specified. Failure to comply with the requirements may result in the suspension of the permit and/or regulatory enforcement.

Circle suggests compliance status. **N/O** = Not observed; **N/A** = Not Applicable; **CDI** = Corrected during inspection; **R** = Repeated non-compliance

Section 2: Compliance Summary

	Compliance Item	Compliance	CDI	R	Topic	Compliance	CDI	R
1	Obtained a valid food establishment permit.	YES			23 Proper use and storage of clean utensils	YES		
2	The permit is posted in a conspicuous location.	YES			24 Appropriate maintenance of food contact surfaces	YES		
3	Risk assessment - extensive food preparation.	N/A			25 Appropriate maintenance of non-food contact surfaces	NO		
4	Risk assessment - minimal food preparation.	YES			26 No room with food used for sleeping purposes	YES		
5	Risk assessment - intermediate food preparation.	YES			27 Dipper well with running water	N/A		
6	Cold holding and storage of food below 4°C or 40°F.	YES			28 Food grade products for food contact surface sanitization	YES		
7	Frozen food holding and storage below -18°C or 0°F.	YES			29 Food contact surfaces washed>rinsed>sanitized after each use	YES		
8	Proper food cooling method used.	N/O			30 Appropriate two-compartment sink available and used	YES		
9	Food is cooked to a high enough safe internal temperature.	YES			31 Appropriate three-compartment sink available and used	YES		
10	Hot holding food to a safe internal temperature of 60°C (140°F).	NO	X		32 The proper method used for manual dishwashing	YES		
11	The facility uses a proper re-heating method.	N/O			33 The high-temperature dishwasher is operating appropriately	N/A		
12	Monitoring of food safety temperatures.	YES			34 Low-temperature dishwasher operating appropriately	N/A		
13	Proper hand hygiene practice by food handlers.	YES			35 Floors, walls, and ceilings are maintained in a sanitary condition	NO		
14	Acceptable personal hygiene and behaviour or practices.	YES			36 Sanitary maintenance of staff / public washrooms	YES		
15	Certified food handler in a supervisory role.	YES			37 Lighting adequate for food preparation/cleaning	YES		
16	Free from infectious disease and confirmation of non-infection.	YES			38 Mechanical ventilation operable where required	YES		
17	All foods are obtained from acceptable sources.	YES			39 Adequate garbage and liquid waste management	YES		
18	Separate raw foods storage and handling.	YES			40 General housekeeping and sanitation are satisfactory	YES		
19	Food is protected from potential contamination and adulteration.	YES			41 Pest control / adequate protection of pests	YES		
20	Toxic/poisonous substances are stored separately from food.	YES			42 Exclusion of live animals on the premises	YES		
21	Supply of hot and cold running water under pressure.	YES			43 Observation of health hazards	NO		
22	Handwashing stations are provided & adequately supplied.	YES						

Section 3: Inspection Outcome

Satisfactory Compliance		Follow Up Required (Date)	X	02/14/2024	Item(s) Seized or Discarded	
Permit Revoked		Warning Letter Issued			Fine Issued	

Section 4: Signature

Person In Charge

Environmental Health Officer

Name: Darrell

Name: Michael Swystun

Title: Manager

Title: Public Health Officer



Section 5: Temperature and Sanitization Records

Food	Holding Type	Temperature	Food	Holding Type	Temperature
		C			C
		C			C
		C			C
		C			C
		C			C

Equipment	Description	Temperature	Equipment	Description	Temperature
		C			C
		C			C
		C			C
		C			C
		C			C

Warewashing Unit	Sanitization Method	Sanitizer Name	Sanitizer Type	Strength (ppm)	Temperature
					C
					C
					C
					C
					C

Section 6: Inspection Details

Act and Regulation excerpts in this report are for information only and not the basis for legal or judicial determinations. Please verify the most current version of the Act and Regulation for correct sections and wordings.

10. Hot Holding of high risk food to a safe internal temperature of 60°C (140°F)

NWT Reg 097-2009 - FESR 24(b) - Failure to ensure refrigeration and hot holding equipment are capable of maintaining required temperatures

Observation: Please ensure the hot holding equipment is adjusted to ensure product is kept at 60C or hotter.

Correct-by Date: 02/13/2024

25. Equipment and non-food contact surfaces are maintained, designed, constructed, installed and accessible for cleaning

Observation: Dishwashing sink taps on dishwashing sinks in the meat department are leaking. Please remove the dirty rags and repair.

Correct-by Date: 03/13/2024

35. Floors, walls, and ceilings are maintained in a sanitary condition and good repair

Observation: One of the cabinet doors in the back deli food prep area has come off the hinge. Please repair.

Correct-by Date: 03/13/2024

46. EHO closing comments

Observation: Conducted routine inspection with Store Manager Darrell. In general, facility was clean and well maintained. Please ensure the hot holding unit in the deli is adjusted to 60C or hotter. Ensure the taps in the meat department are repaired and the door hinges in the deli food prep area are repaired.